



CITROËN AIRCROSS

1CSISUDMY5URA0C0 PLUS 1.2 5MT MY25 5-speed Manual 1.2 litre PureTech 3 Cylinder Inline 4 Valves per Cylinder Petrol 60 kW @ 5 750 rpm 115 Nm @ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	PLUS 1.2 5MT MAX 1.2 MY25 M 5-speed Manual 6-speed A 1.2 litre PureTech 1.2 litre Tu Pure 3 Cylinder Inline A Valves per Cylinder A Valves per Cylinde	CSISUHIVMURAOCO MAX 1.2 Turbo 6AT MY25 6-speed Automatic 2 litre Turbocharged PureTech 3 Cylinder Inline Valves per Cylinder Petrol 31 kW @ 5 500 rpm 205 Nm 1750 - 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm 1 540 mm	1CSISUHIVMURA00 MAX 7s 1.2 Turbo MY25 6-speed Automati 1.2 litre Turbocharg PureTech 3 Cylinder Inline 4 Valves per Cylind Petrol 81 kW @ 5 500 rpr 205 Nm @ 1750 - 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 670 mm 2 671 mm
5-speed Manual 1.2 litre PureTech 3 Cylinder Inline 4 Valves per Cylinder Petrol 60 kW @ 5 750 rpm 115 Nm @ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	PLUS 1.2 5MT MAX 1.2 MY25 M 5-speed Manual 6-speed A 1.2 litre PureTech 1.2 litre Tu Pure 3 Cylinder Inline A Valves p Petrol Petrol Petrol 20 kW @ 5 750 rpm 81 kW @ 115 Nm 205 @ 1750 - 2.2 Litres / 100 km 6.3 Litres 139 g/km 149 Euro 5 Eu 4 310 mm 4 32 1 784 mm 1 796 2 671 mm 2 67 2 00 mm 2 00 783 mm 796 856 mm 856 1 550 mm 1 55 1 540 mm 1 544 1 178 kg 1 26 1 1845 kg 1 84 444 Litres 444 45 Litres 45 l	MAX 1.2 Turbo 6AT MY25 6-speed Automatic 2 litre Turbocharged PureTech 3 Cylinder Inline Valves per Cylinder Petrol 31 kW @ 5 500 rpm 205 Nm 205 Nm 1750 - 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm 1 550 mm	MAX 7s 1.2 Turbo MY25 6-speed Automati 1.2 litre Turbocharg PureTech 3 Cylinder Inline 4 Valves per Cylind Petrol 81 kW @ 5 500 rpr 205 Nm @ 1750 - 2 500 rpr 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1796 mm 1 670 mm
5-speed Manual 1.2 litre PureTech 3 Cylinder Inline 4 Valves per Cylinder Petrol 60 kW @ 5 750 rpm 115 Nm @ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 178 kg 1 151 kg 1 845 kg	5-speed Manual 6-speed A 1.2 litre PureTech 1.2 litre Tu Pure 3 Cylinder Inline 3 Cylinder Alves per Cylinder 4 Valves p Petrol Pe 0 kW @ 5 750 rpm 81 kW @ 115 Nm 205 @ 3 750 rpm 6.3 Litre 139 g/km 149 Euro 5 Eu 4 310 mm 4 32 1 784 mm 1 79 1 639 mm 1 67 2 671 mm 2 67 2 00 mm 200 783 mm 796 856 mm 856 1 550 mm 1 550 1 540 mm 1 550 1 1540 mm 1 540 1 178 kg 1 26 1 1845 kg 1 844 4 4 Litres 444	6-speed Automatic 2 litre Turbocharged PureTech 3 Cylinder Inline Valves per Cylinder Petrol 81 kW @ 5 500 rpm 205 Nm 205 Nm 1750 – 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 1 550 mm 1 550 mm 1 550 mm	6-speed Automati 1.2 litre Turbocharg PureTech 3 Cylinder Inline 4 Valves per Cylind Petrol 81 kW @ 5 500 rpr 205 Nm @ 1750 - 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 670 mm
5-speed Manual 1.2 litre PureTech 3 Cylinder Inline 4 Valves per Cylinder Petrol 60 kW @ 5 750 rpm 115 Nm @ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	5-speed Manual 6-speed A 1.2 litre PureTech 1.2 litre Tu Pure 3 Cylinder Inline 3 Cylinder Alves per Cylinder 4 Valves p Petrol Pe 0 kW @ 5 750 rpm 81 kW @ 115 Nm 205 @ 3 750 rpm @ 1 7502 Litres / 100 km 6.3 Litres 139 g/km 149 Euro 5 Eu 4 310 mm 4 32 1 784 mm 1 790 1 639 mm 1 67 2 671 mm 2 67 2 00 mm 200 783 mm 796 856 mm 856 1 550 mm 1 550 1 540 mm 1 544 1 178 kg 1 26 1 1845 kg 1 844 444 Litres 444	6-speed Automatic 2 litre Turbocharged PureTech 3 Cylinder Inline Valves per Cylinder Petrol 31 kW @ 5 500 rpm 205 Nm 21750 – 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm 1 540 mm	6-speed Automati 1.2 litre Turbocharg PureTech 3 Cylinder Inline 4 Valves per Cylind Petrol 81 kW @ 5 500 rpi 205 Nm @ 1750 – 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1796 mm 1 670 mm
1.2 litre PureTech 3 Cylinder Inline 4 Valves per Cylinder Petrol 60 kW @ 5 750 rpm 115 Nm @ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 178 kg 1 151 kg 1 845 kg	1.2 litre Ture Ture Ture 3 Cylinder Inline 3 Cylinder Inline 4 Valves per Cylinder 4 Valves per Cylinder 5 Petrol Per 5 RW @ 5 750 rpm 81 kW @ 115 Nm 205 @ 1 750 - 2 Litres / 100 km 6.3 Litres 139 g/km 149 Euro 5 Euro 6	2 litre Turbocharged PureTech 3 Cylinder Inline Valves per Cylinder Petrol 31 kW @ 5 500 rpm 205 Nm 21750 - 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 1 550 mm 1 550 mm 1 540 mm	1.2 litre Turbocharg PureTech 3 Cylinder Inline 4 Valves per Cylind Petrol 81 kW @ 5 500 rpr 205 Nm @ 1750 - 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1796 mm 1 670 mm
1.2 litre PureTech 3 Cylinder Inline 4 Valves per Cylinder Petrol 60 kW @ 5 750 rpm 115 Nm @ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 178 kg 1 151 kg 1 845 kg	1.2 litre Ture Ture Ture 3 Cylinder Inline 3 Cylinder Inline 4 Valves per Cylinder 4 Valves per Cylinder 5 Petrol Per 5 RW @ 5 750 rpm 81 kW @ 115 Nm 205 @ 1 750 - 2 Litres / 100 km 6.3 Litres 139 g/km 149 Euro 5 Euro 6	2 litre Turbocharged PureTech 3 Cylinder Inline Valves per Cylinder Petrol 31 kW @ 5 500 rpm 205 Nm 21750 - 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 1 550 mm 1 550 mm 1 540 mm	1.2 litre Turbocharg PureTech 3 Cylinder Inline 4 Valves per Cylind Petrol 81 kW @ 5 500 rpr 205 Nm @ 1750 - 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1796 mm 1 670 mm
1.2 litre PureTech 3 Cylinder Inline 4 Valves per Cylinder Petrol 60 kW @ 5 750 rpm 115 Nm @ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 178 kg 1 151 kg 1 845 kg	1.2 litre Ture Ture Ture 3 Cylinder Inline 3 Cylinder Inline 4 Valves per Cylinder 4 Valves per Cylinder 5 Petrol Per 5 RW @ 5 750 rpm 81 kW @ 115 Nm 205 @ 1 750 - 2 Litres / 100 km 6.3 Litres 139 g/km 149 Euro 5 Euro 6	2 litre Turbocharged PureTech 3 Cylinder Inline Valves per Cylinder Petrol 31 kW @ 5 500 rpm 205 Nm 21750 - 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 1 550 mm 1 550 mm 1 540 mm	1.2 litre Turbocharg PureTech 3 Cylinder Inline 4 Valves per Cylind Petrol 81 kW @ 5 500 rpr 205 Nm @ 1750 - 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1796 mm 1 670 mm
3 Cylinder Inline 4 Valves per Cylinder Petrol 60 kW @ 5 750 rpm 115 Nm @ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 1540 mm 1 178 kg 1 151 kg 1 845 kg	A 310 mm A 310 mm A 320	PureTech 3 Cylinder Inline Valves per Cylinder Petrol 81 kW @ 5 500 rpm 205 Nm 1 750 – 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 1 550 mm 1 550 mm 1 540 mm	PureTech 3 Cylinder Inline 4 Valves per Cylind Petrol 81 kW @ 5 500 rpr 205 Nm @ 1750 – 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 670 mm
4 Valves per Cylinder Petrol 60 kW @ 5 750 rpm 115 Nm @ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 1540 mm 1 178 kg 1 151 kg 1 845 kg	Alves per Cylinder Petrol Petr	Valves per Cylinder Petrol 31 kW @ 5 500 rpm 205 Nm 205 Nm 3 1 750 - 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 1 550 mm 1 550 mm	4 Valves per Cylind Petrol 81 kW @ 5 500 rpi 205 Nm @ 1750 - 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1796 mm 1 670 mm
60 kW @ 5 750 rpm 115 Nm @ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 1845 kg	0 kW @ 5 750 rpm 81 kW @ 115 Nm 205 @ 3 750 rpm @ 1750 - .2 Litres / 100 km 6.3 Litres 139 g/km 149 Euro 5 Eu 4 310 mm 4 32 1 784 mm 1 79 1 639 mm 1 67 2 671 mm 2 67 2 00 mm 200 783 mm 796 856 mm 856 1 550 mm 1 55 1 540 mm 1 54 1 178 kg 1 26 1 1845 kg 1 84 444 Litres 444 45 Litres 45 Litres	205 Nm 205 Nm 21750 - 2500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm 1 540 mm	81 kW @ 5 500 rpr 205 Nm @ 1750 - 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1796 mm 1 670 mm
115 Nm (a) 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	115 Nm	205 Nm 2 1750 - 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm 1 540 mm	205 Nm (a) 1750 - 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 670 mm
@ 3 750 rpm 6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	@ 3 750 rpm	2 1750 - 2 500 rpm 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm	@ 1750 - 2 500 rp 6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1796 mm 1 670 mm
6.2 Litres / 100 km 139 g/km Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	2 Litres / 100 km 6.3 Litres 139 g/km 149 Euro 5 Eu 4 310 mm 4 32 1 784 mm 1 790 1 639 mm 2 67 2 671 mm 2 67 2 00 mm 2 00 783 mm 796 856 mm 856 1 550 mm 1 550 1 540 mm 1 540 1 178 kg 1 26 1 1845 kg 1 844 444 Litres 444	6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm	6.3 Litres / 100 km 149 g/km Euro 5 4 323 mm 1 796 mm 1 670 mm
Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	Euro 5 Eu	Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm 1 540 mm	4 323 mm 1 796 mm 1 670 mm
Euro 5 4 310 mm 1 784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	Euro 5 Eu	Euro 5 4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm 1 540 mm	4 323 mm 1 796 mm 1 670 mm
4 310 mm 1784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	4 310 mm 4 32 1784 mm 179 1 639 mm 1 67 2 671 mm 2 67 200 mm 200 783 mm 796 856 mm 856 1 550 mm 1 55 1 540 mm 1 54 1 178 kg 1 26 1 1845 kg 1 84 444 Litres 444 45 Litres 451	4 323 mm 1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm	4 323 mm 1796 mm 1 670 mm
1784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	1784 mm 1799 1639 mm 167 2 671 mm 2 67 200 mm 200 783 mm 796 856 mm 856 1550 mm 1559 1540 mm 1549 1178 kg 128 1151 kg 126 1845 kg 1844 444 Litres 4444	1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm	1796 mm 1670 mm
1784 mm 1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	1784 mm 1799 1639 mm 167 2 671 mm 2 67 200 mm 200 783 mm 796 856 mm 856 1550 mm 1559 1540 mm 1549 1178 kg 128 1151 kg 126 1845 kg 1844 444 Litres 4444	1 796 mm 1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm	1796 mm 1670 mm
1 639 mm 2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	1 639 mm 1 67 2 671 mm 2 67 200 mm 200 783 mm 796 856 mm 856 1 550 mm 1 550 1 540 mm 1 540 1 178 kg 1 26 1 151 kg 1 26 1 845 kg 1 84 444 Litres 444 45 Litres 45 Litres	1 671 mm 2 671 mm 200 mm 796 mm 856 mm 1 550 mm	1 670 mm
2 671 mm 200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	2 671 mm 2 677 200 mm 2000 783 mm 796 856 mm 856 1 550 mm 1 554 1 540 mm 1 544 1 178 kg 1 26 1 1845 kg 1 84 444 Litres 444 45 Litres 451	2 671 mm 200 mm 796 mm 856 mm 1 550 mm	
200 mm 783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	200 mm 200 783 mm 796 856 mm 856 1 550 mm 1 550 1 540 mm 1 540 1 178 kg 1 28 1 151 kg 1 26 1 845 kg 1 84 444 Litres 444 45 Litres 45 Litres	200 mm 796 mm 856 mm 1 550 mm 1 540 mm	2 671 mm
783 mm 856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	783 mm 796 856 mm 856 1 550 mm 1 556 1 540 mm 1 546 1 178 kg 1 26 1 151 kg 1 26 1 845 kg 1 84 444 Litres 444 45 Litres 451	796 mm 856 mm 1 550 mm 1 540 mm	
856 mm 1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	856 mm 856 1 550 mm 1 551 1 540 mm 1 541 1 178 kg 1 261 1 151 kg 1 261 1 845 kg 1 844 444 Litres 4444 45 Litres 451	856 mm 1 550 mm 1 540 mm	200 mm
1 550 mm 1 540 mm 1 178 kg 1 151 kg 1 845 kg	1 550 mm 1 55 1 540 mm 1 54 1 178 kg 1 28 1 151 kg 1 26 1 845 kg 1 84 444 Litres 444 45 Litres 451	1 550 mm 1 540 mm	796 mm
1 540 mm 1 178 kg 1 151 kg 1 845 kg	1 540 mm 1 540 1 178 kg 1 26 1 151 kg 1 26 1 845 kg 1 84 444 Litres 444 45 Litres 45 Litres	1 540 mm	856 mm
1 178 kg 1 151 kg 1 845 kg	1 178 kg 1 28 1 151 kg 1 26 1 845 kg 1 84 444 Litres 444 45 Litres 45 Litres		1 550 mm
1 151 kg 1 845 kg	1 151 kg 1 26 1 845 kg 1 84 444 Litres 444 45 Litres 45 L		1 540 mm
1 845 kg	1 845 kg 1 84 444 Litres 444 45 Litres 45 L	1 287 kg	1 342 kg
	444 Litres 444 45 Litres 45 I	1 260 kg	1 315 kg
444 Litres	45 Litres 45 L	1 845 kg	1 845 kg
		444 Litres	44 Litres / 511 Litres without 3rd
45 Litres	5.4 m 5.4	45 Litres	45 Litres
5.4 m		5.4 m	5.4 m
16" Stool	16" Steel 17"	17" Alloy	17" Alloy
10 31661		5/60 R17 Ø 690 mm	215/40 017 03 400
205/65 R16 Ø 670 mm	215/00 KIO	Full Size	215/60 R17 Ø 690 m
5.4 m		es s	1 845 kg es 444 Litres s 45 Litres 5.4 m

SPEC LEVEL	PLUS	MAX	MAX 7-SEATER
LIGHTING			
Halogen Headlamps	•	-	-
LED VISION Projector Headlamps	-	•	•
Front Fog Lamps	-	•	•
LED Daytime Running Lights	•	•	•
EXTERIOR FEATURES			
Colour-Coded Bumpers	•	•	•
Glossy Black Painted Upper Grille	_	•	•
Glossy Black Tailgate Embellisher	_	•	•
Colour-Coded Door Handles	•	•	•
High Gloss Black Exterior Rear-View Mirrors	_	•	•
Sill Cladding	•	•	•
Rear Spoiler	•	•	•
Front Foldable Antenna	•	_	_
Rear Roof Shark Fin Antenna	_	•	•
Front Skid Plates	_	•	•
Rear Skid Plates	_	•	•
Roal Sind Flates			
INTERIOR FEATURES			
Steering with Radio Controls	•	_	-
Leather Steering – Multi-Function Controls	-	•	•
Headliner – Fabric	•	_	-
Headliner – Printed Fabric	-	•	•
Front Interior Lamps	•	_	
Front and Rear Interior Lamps	-	•	•
Passenger Vanity Mirror	•	•	•
COMFORT			
Air Conditioner	Manual	Automatic	Automatic
Rear Air Vents	-	•	•
Roof Cold Air Module with Air Vents for 2 nd & 3 rd Row	-	-	•
Electric Exterior Mirrors	•	•	•
Electric Folding Exterior Mirrors	-	•	•
Electric Power Steering	•	•	•
INFOTAINMENT			
SmartCar 10" HD Touchscreen	•	•	•
Apple CarPlay® & Android Auto™ by Wi-Fi	•	•	•
Smartphone Storage	•	•	•
Four Speakers	•	•	•
Two Tweeters	-	•	•
1x Front USB Port	•	•	•
2 x Quick Charge USB Port – 2 nd Row Seats	•	•	•
12V Socket on Facia	•	•	•
7" Display TFT Instrument Cluster	_	•	•
Outside Temperature Indicator	-	•	•

SPEC LEVEL	PLUS	MAX	MAX 7-SEATER
SAFETY & SECURITY			
Front Airbags – Driver & Passenger	•	•	•
Front Side Airbags	•	•	•
Front and Rear Curtain Airbags	•	•	•
Occupant Detection System (ODS) on Passenger Seat to Enable / Disable Airbag	•	•	•
Front 3-Point Safety Belts	•	-	-
Front 3-Point Safety Belts with Pre-Tensioner & Load Limiters	-	•	•
2 nd Row Safety Belts – Three Seatbelts with 3 Points	•	•	•
3 rd Row Safety Belts – Two Seatbelts with 3 Points	•	•	•
Electronic Stability Control	•	•	•
Hill-Hold Control	•	•	•
Front Brakes - Ventilated Disc	•	•	•
Rear Brakes – Drums	•	•	•
ABS – Anti-Lock Braking System	•	•	•
EBD – Electronic Brake Distribution	•	•	•
Front Suspension - Macpherson Strut with Coil Spring	•	•	•
Rear Suspension – Rear Twist Beam with Coil Spring	•	•	•
Tyre Pressure Monitor	-	•	•
Immobiliser	•	•	•
First Aid Kit	•	•	•
Rear Parking Sensors	•	•	•
Rear-View Camera	0	•	•
Central Locking	•	•	•
Auto Door Locking	•	•	•
ISOFIX	•	•	• (One Side Only)
COLOUR OPTIONS: MONOTONE			
Steel Grey	-	•	•
Platinum Grey	•	•	•
Cosmo Blue	-	•	•
Polar White	•	•	•
COLOUR OPTIONS: DUAL-TONE			
Cosmo Blue – Polar White Roof	-	•	•
Polar White – Platinum Grey Roof	-	•	•
Platinum Grey – Polar White Roof	-	•	•
WARRANTY & SERVICE			
5-Year / 100 000 km Warranty	•	•	•
4-Year / 60 000 km Service Plan	•	•	•
15 000 km Service Intervals	•	•	•